


Available Finishes / Materials:

- EG -- Electro-galvanized
- HD -- Hot dipped galvanized
- S6 -- 316 stainless steel

Standard Finish: EG

Catalog Number	Thread Size	Thickness		Wt. lbs
		in	mm	
CNN2D025EG	1/4"-20	0.25	6.3	0.061
CNN3D031EG	5/16"-18	0.37	9.4	0.096
CNN3D037EG	3/8"-16	0.37	9.4	0.084
CNN3D050EG	1/2"-13	0.37	9.4	0.076
*CNN4D050EG	1/2"-13	0.50	12.7	0.108
CNN3D062EG	5/8"-11	0.37	9.4	0.097
*CNN4D062EG	5/8"-11	0.50	12.7	0.130
CNN3D075EG	3/4"-10	0.37	9.4	0.103
*CNN4D075EG	3/4"-10	0.50	12.7	0.127
*CNN4D087EG	7/8"-9	0.50	12.7	0.125

*Cannot be used with 1 3/16" channel



Material Specifications and Finishes

Carbon Steel – ASTM A1011-00 SS GR 33 or ASTM A1011-00CS Type B

EG – Electro-Galvanized. Electroplating deposits zinc on the surface of the steel by electrolysis from a bath of zinc salts. Recommended for relatively dry indoor use. This is the standard coating for most Jet Stream products. Thickness of applied zinc is between 0.2 mils to 0.5 mils [5.1 µm to 12.7 µm]. Coatings on Jet Stream EG products meet ASTM B633 SC1 Type III.

HD – Hot Dip Galvanized After Fabrication. Fabricated product is dipped in molten zinc and is completely covered on all surfaces. Recommended for outdoor use. Coatings on Jet Stream HD products meet ASTM A123/153. The zinc coating is typically 2.6 mils [66.0 µm] or 1.5 oz. per square foot [0.46 kg per square meter] per side.

S6 – 316 Stainless Steel – ASTM A240 (Type 316),
316 Stainless Steel Nuts – ASTM A276-03

Note: Specifications subject to change without notice.

Project:	Date:	Phone:
Submitted By:	Address:	
Comment		